

ABI Status Query
Response Manual
1.0.0

Section: 1.1

| | |
|-----------------|-----------------------------|
| Name: | data |
| Full Path: | abiStatusQueryResponse.data |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"data": "ABI_STATUS_QUERY_RESPONSE"
```

Description:

Section: 1.2

| | |
|-----------------|----------------------------------|
| Name: | timestamp |
| Full Path: | abiStatusQueryResponse.timestamp |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"timestamp": "2023-01-01 13:50:00"
```

Description:

Section: 1.3

| | |
|---------------|--|
| Name: | bolLevelDetails |
| Full Path: | abiStatusQueryResponse.bolLevelDetails |
| Type: | Array<JsonObject> |
| Is Required?: | No |

Sample JSON:

```
[{}]
```

Description:

Section: 1.3.1

| | |
|---------------|---|
| Name: | bolLevelDetail |
| Full Path: | abiStatusQueryResponse.bolLevelDetails.bolLevelDetail |
| Type: | Object |
| Is Required?: | No |

Sample JSON:

```
{
```

Description:

Section: 1.3.1.1

| | |
|-----------------|--|
| Name: | status |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.status |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"status": "AR"
```

Description:

Section: 1.3.1.2

| | |
|-----------------|---|
| Name: | inBondArrivalDate |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.inBondArrivalDate |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"inBondArrivalDate": "2023-01-02 13:50:00"
```

Description:

Section: 1.3.1.3

| | |
|-----------------|--|
| Name: | inBondExportDate |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.inBondExportDate |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"inBondExportDate": "2023-01-02 13:50:00"
```

Description:

Section: 1.3.1.4

| | |
|-----------------|--|
| Name: | type |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.type |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"type": "61"
```

Description:

Section: 1.3.1.5

| | |
|---------------|---|
| Name: | isUpdated |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.isUpdated |
| Type: | Boolean Value |
| Is Required?: | Yes |

Sample JSON:

```
"isUpdated": false
```

Description:

Section: 1.3.1.6

| | |
|-----------------|---|
| Name: | quotedBolLevelEntryNumber |
| Full Path: | abiStatusQueryResponse.bolLevelDetails.bolLevelDetail.quotedBolLevelEntryNumber |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"quotedBolLevelEntryNumber": "123456789"
```

Description:

Section: 1.3.1.7

| | |
|-----------------|--|
| Name: | masterBillNumber |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.masterBillNumber |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"masterBillNumber": "123456789"
```

Description:

Section: 1.3.1.8

| | |
|-----------------|---|
| Name: | houseBillNumber |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.houseBillNumber |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"houseBillNumber": "123456789"
```

Description:

Section: 1.3.1.9

| | |
|-----------------|--|
| Name: | subHouseBillNumber |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.subHouseBillNumber |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"subHouseBillNumber": "123456789"
```

Description:

Section: 1.3.1.10

| | |
|-----------------|--|
| Name: | billOfLadingType |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.billOfLadingType |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"billOfLadingType": "F"
```

Description:

Section: 1.3.1.11

| | |
|---------------|--|
| Name: | importerSecurityFilingOnFile |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.importerSecurityFilingOnFile |
| Type: | Boolean Value |
| Is Required?: | No |

Sample JSON:

```
"importerSecurityFilingOnFile": false
```

Description:

Section: 1.3.1.13

| | |
|-----------------|---|
| Name: | modeOfTransport |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.modeOfTransport |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"modeOfTransport": "A"
```

Description:

Section: 1.3.1.14

| | |
|---------------|--|
| Name: | quantity |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.quantity |
| Type: | Numeric Value |
| Is Required?: | Yes |

Sample JSON:

```
"quantity": 10
```

Description:

Section: 1.3.1.15

Name: unitOfMeasure
Full Path: abiStatusQueryResponse.boLevelDetails.boLevelDetail.unitOfMeasure
Type: String Value
Is Required?: No
Minimum Length:
Maximum Length:

Sample JSON:

```
"unitOfMeasure": "BI"
```

Description:

Section: 1.3.1.16

| | |
|---------------|--|
| Name: | dispositionActions |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.dispositionActions |
| Type: | Array<JsonObject> |
| Is Required?: | No |

Sample JSON:

```
[
  {
    "dispositionActionDate": "2023-01-02 13:50:00",
    "dispositionActionCode": "1C",
    "narrativeMessage": "Entered and released general examination.",
    "releaseDate": "2023-01-02 13:50:00",
    "releaseOrigin": "99",
    "quantity": 42
  }
]
```

Description:

Section: 1.3.1.16.1

| | |
|---------------|--|
| Name: | dispositionAction |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.dispositionActions.dispo sitionAction |
| Type: | Object |
| Is Required?: | No |

Sample JSON:

```
{  
  "dispositionActionDate": "2023-01-02 13:50:00",  
  "dispositionActionCode": "1C",  
  "narrativeMessage": "Entered and released general examination.",  
  "releaseDate": "2023-01-02 13:50:00",  
  "releaseOrigin": "99",  
  "quantity": 42  
}
```

Description:

Section: 1.3.1.17

| | |
|---------------|---|
| Name: | airBolDetails |
| Full Path: | abiStatusQueryResponse.bolLevelDetails.bolLevelDetail.airBolDetails |
| Type: | Object |
| Is Required?: | No |

Sample JSON:

```
"airBolDetails": {
  "importingCarrierCode": "ABCD",
  "flightNumber": "123456789",
  "scheduledArrivalDate": "2023-01-02 13:50:00",
  "airWaybillNumber": "123456789",
  "masterAirWaybillPartIndicator": "U",
  "masterAirWaybillManifestQuantity": 4,
  "masterAirWaybillBoardedQuantity": 4,
  "houseAirWaybillNumber": "123456789",
  "houseAirWaybillPartIndicator": "U",
  "houseAirWaybillManifestQuantity": 4,
  "houseAirWaybillBoardedQuantity": 4,
  "dispositionActions": [
    {
      "dispositionActionDate": "2023-01-02 13:50:00",
      "dispositionCode": "1A",
      "narrativeMessage": "Entered and released general examination.",
      "inBondOrEntryNumber": "123456789"
    }
  ]
}
```

Description:

Section: 1.3.1.17.1

| | |
|-----------------|--|
| Name: | importingCarrierCode |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoIDetails.importingCarrierCode |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"importingCarrierCode": "ABCD"
```

Description:

Section: 1.3.1.17.2

| | |
|-----------------|---|
| Name: | flightNumber |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoIdDetails.flightNumber |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"flightNumber": "123456789"
```

Description:

Section: 1.3.1.17.3

| | |
|-----------------|--|
| Name: | scheduledArrivalDate |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoIDetails.scheduledArrivalDate |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"scheduledArrivalDate": "2023-01-02 13:50:00"
```

Description:

Section: 1.3.1.17.4

| | |
|-----------------|--|
| Name: | airWaybillNumber |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoIDetails.airWaybillNumber |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"airWaybillNumber": "123456789"
```

Description:

Section: 1.3.1.17.5

| | |
|-----------------|---|
| Name: | masterAirWaybillPartIndicator |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoiDetails.masterAirWaybillPartIndicator |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"masterAirWaybillPartIndicator": "U"
```

Description:

Section: 1.3.1.17.6

| | |
|---------------|--|
| Name: | masterAirWaybillManifestQuantity |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoiDetails.masterAirWaybillManifestQuantity |
| Type: | Numeric Value |
| Is Required?: | No |

Sample JSON:

```
"masterAirWaybillManifestQuantity": 4
```

Description:

Section: 1.3.1.17.7

| | |
|---------------|---|
| Name: | masterAirWaybillBoardedQuantity |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoiDetails.masterAirWaybillBoardedQuantity |
| Type: | Numeric Value |
| Is Required?: | No |

Sample JSON:

```
"masterAirWaybillBoardedQuantity": 4
```

Description:

Section: 1.3.1.17.8

| | |
|-----------------|---|
| Name: | houseAirWaybillNumber |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoIDetails.houseAirWaybillNumber |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"houseAirWaybillNumber": "123456789"
```

Description:

Section: 1.3.1.17.9

| | |
|-----------------|--|
| Name: | houseAirWaybillPartIndicator |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoIDetails.houseAirWaybillPartIndicator |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"houseAirWaybillPartIndicator": "U"
```

Description:

Section: 1.3.1.17.10

| | |
|---------------|---|
| Name: | houseAirWaybillManifestQuantity |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoIDetails.houseAirWaybillManifestQuantity |
| Type: | Numeric Value |
| Is Required?: | No |

Sample JSON:

```
"houseAirWaybillManifestQuantity": 4
```

Description:

Section: 1.3.1.17.11

| | |
|---------------|--|
| Name: | houseAirWaybillBoardedQuantity |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoIDetails.houseAirWaybillBoardedQuantity |
| Type: | Numeric Value |
| Is Required?: | No |

Sample JSON:

```
"houseAirWaybillBoardedQuantity": 4
```

Description:

Section: 1.3.1.17.12

| | |
|---------------|--|
| Name: | dispositionActions |
| Full Path: | abiStatusQueryResponse.boiLevelDetails.boiLevelDetail.airBoiDetails.dispositionActions |
| Type: | Array<JsonObject> |
| Is Required?: | No |

Sample JSON:

```
[
  {
    "dispositionActionDate": "2023-01-02 13:50:00",
    "dispositionCode": "1A",
    "narrativeMessage": "Entered and released general examination.",
    "inBondOrEntryNumber": "123456789"
  }
]
```

Description:

Section: 1.3.1.17.12.1

| | |
|---------------|--|
| Name: | dispositionAction |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoLevelDetails.dispositionActions.dispositionAction |
| Type: | Object |
| Is Required?: | No |

Sample JSON:

```
{
  "dispositionActionDate": "2023-01-02 13:50:00",
  "dispositionCode": "1A",
  "narrativeMessage": "Entered and released general examination.",
  "inBondOrEntryNumber": "123456789"
}
```

Description:

Section: 1.3.1.18

| | |
|---------------|---|
| Name: | masterBillAmendedQuantity |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.masterBillAmendedQuantity |
| Type: | Numeric Value |
| Is Required?: | Yes |

Sample JSON:

```
"masterBillAmendedQuantity": 5
```

Description:

Section: 1.3.1.19

| | |
|---------------|--|
| Name: | houseBillAmendedQuantity |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.houseBillAmendedQuantity |
| Type: | Numeric Value |
| Is Required?: | Yes |

Sample JSON:

```
"houseBillAmendedQuantity": 10
```

Description:

Section: 1.3.1.20

| | |
|-----------------|--|
| Name: | quotedPortLevelEntryNumber |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.quotedPortLevelEntryNumber |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"quotedPortLevelEntryNumber": "123456789"
```

Description:

Section: 1.3.1.21

| | |
|-----------------|--|
| Name: | manifestPortOfUnladingOrImport |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.manifestPortOfUnladingOrImport |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"manifestPortOfUnladingOrImport": "3801"
```

Description:

Section: 1.3.1.22

| | |
|-----------------|--|
| Name: | actualPortOfUnladingOrImport |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.actualPortOfUnladingOrImport |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"actualPortOfUnladingOrImport": "3801"
```

Description:

Section: 1.3.1.23

Name: actualPortOfUnladingOrImportOceanDiversio
Full Path: abiStatusQueryResponse.boLevelDetails.boLevelDetail.actualPortOfUnladingOr
importOceanDiversio
Type: String Value
Is Required?: No
Minimum Length:
Maximum Length:

Sample JSON:

```
"actualPortOfUnladingOrImportOceanDiversio": "3801"
```

Description:

Section: 1.3.1.24

| | |
|-----------------|---|
| Name: | inBondOriginatingPort |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.inBondOriginatingPort |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"inBondOriginatingPort": "3801"
```

Description:

Section: 1.3.1.25

| | |
|-----------------|---|
| Name: | manifestDestinationPort |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.manifestDestinationPort |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"manifestDestinationPort": "3801"
```

Description:

Section: 1.3.1.26

| | |
|-----------------|---|
| Name: | actualDestinationPortManualDiversio |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.actualDestinationPortMa nualDiversio |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"actualDestinationPortManualDiversio": "3801"
```

Description:

Section: 1.3.1.27

| | |
|-----------------|---|
| Name: | actualDestinationPortEdiDiversion |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.actualDestinationPortEdiDiversion |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"actualDestinationPortEdiDiversion": "3801"
```

Description:

Section: 1.3.1.28

| | |
|-----------------|---|
| Name: | vesselDeparturePort |
| Full Path: | abiStatusQueryResponse.boiLevelDetails.boiLevelDetail.vesselDeparturePort |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"vesselDeparturePort": "3801"
```

Description:

Section: 1.3.1.29

| | |
|-----------------|---|
| Name: | vesselDepartureDate |
| Full Path: | abiStatusQueryResponse.boiLevelDetails.boiLevelDetail.vesselDepartureDate |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"vesselDepartureDate": "2023-01-02 13:50:00"
```

Description:

Section: 1.3.1.30

| | |
|-----------------|---|
| Name: | containerLoadPort |
| Full Path: | abiStatusQueryResponse.boiLevelDetails.boiLevelDetail.containerLoadPort |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"containerLoadPort": "3801"
```

Description:

Section: 1.3.1.31

| | |
|-----------------|---|
| Name: | containerLoadDate |
| Full Path: | abiStatusQueryResponse.boiLevelDetails.boiLevelDetail.containerLoadDate |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"containerLoadDate": "2023-01-02 13:50:00"
```

Description:

Section: 1.3.1.32

| | |
|-----------------|--|
| Name: | subsequentInBondNumber |
| Full Path: | abiStatusQueryResponse.boLevelDetails.boLevelDetail.subsequentInBondNumber |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"subsequentInBondNumber": "123456789"
```

Description:

Section: 1.3.1.33

| | |
|-----------------|--|
| Name: | previousInBondNumber |
| Full Path: | abiStatusQueryResponse.boiLevelDetails.boiLevelDetail.previousInBondNumber |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"previousInBondNumber": "123456789"
```

Description:

Section: 1.4

| | |
|---------------|------------------------------|
| Name: | error |
| Full Path: | abiStatusQueryResponse.error |
| Type: | Object |
| Is Required?: | No |

Sample JSON:

```
"error": {  
  "code": "123",  
  "message": "INBOND NBR NOT ON FILE"  
}
```

Description:

Section: 1.4.1

| | |
|-----------------|-----------------------------------|
| Name: | code |
| Full Path: | abiStatusQueryResponse.error.code |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"code": "123"
```

Description:

Section: 1.4.2

| | |
|-----------------|--------------------------------------|
| Name: | message |
| Full Path: | abiStatusQueryResponse.error.message |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"message": "INBOND NBR NOT ON FILE"
```

Description:

Section: 1.5

| | |
|-----------------|------------------------------------|
| Name: | carrierScac |
| Full Path: | abiStatusQueryResponse.carrierScac |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"carrierScac": "ABCD"
```

Description:

Section: 1.6

| | |
|-----------------|--|
| Name: | importingVesselOrConveyanceName |
| Full Path: | abiStatusQueryResponse.importingVesselOrConveyanceName |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"importingVesselOrConveyanceName": "123"
```

Description:

Section: 1.7

| | |
|-----------------|---|
| Name: | voyageFlightOrTripNumber |
| Full Path: | abiStatusQueryResponse.voyageFlightOrTripNumber |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"voyageFlightOrTripNumber": "12345"
```

Description:

Section: 1.8

| | |
|-----------------|---|
| Name: | estimatedDateOfArrival |
| Full Path: | abiStatusQueryResponse.estimatedDateOfArrival |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"estimatedDateOfArrival": "2023-01-01 13:50:00"
```

Description:

Section: 1.9

| | |
|-----------------|---------------------------------------|
| Name: | abiQueryStatus |
| Full Path: | abiStatusQueryResponse.abiQueryStatus |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"abiQueryStatus": "AR"
```

Description:

Section: 1.10

Name: inBondArrivalDate
Full Path: abiStatusQueryResponse.inBondArrivalDate
Type: String Value
Is Required?: No
Minimum Length:
Maximum Length:

Sample JSON:

```
"inBondArrivalDate": "2023-01-02 13:50:00"
```

Description:

Section: 1.11

| | |
|-----------------|---|
| Name: | inBondExportDate |
| Full Path: | abiStatusQueryResponse.inBondExportDate |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"inBondExportDate": "2023-01-02 13:50:00"
```

Description:

Section: 1.12

| | |
|---------------|-----------------------------------|
| Name: | inBondType |
| Full Path: | abiStatusQueryResponse.inBondType |
| Type: | Object |
| Is Required?: | No |

Sample JSON:

```
"inBondType": {  
  "code": "61",  
  "longDescription": "Immediate Transportation"  
}
```

Description:

Section: 1.12.1

| | |
|-----------------|--|
| Name: | code |
| Full Path: | abiStatusQueryResponse.inBondType.code |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"code": "61"
```

Description:

Section: 1.12.2

| | |
|-----------------|---|
| Name: | longDescription |
| Full Path: | abiStatusQueryResponse.inBondType.longDescription |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"longDescription": "Immediate Transportation"
```

Description:

Section: 1.13

| | |
|---------------|----------------------------------|
| Name: | isUpdated |
| Full Path: | abiStatusQueryResponse.isUpdated |
| Type: | Boolean Value |
| Is Required?: | No |

Sample JSON:

```
"isUpdated": true
```

Description:

Section: 1.14

| | |
|-----------------|---|
| Name: | quotedBondLevelEntryNumber |
| Full Path: | abiStatusQueryResponse.quotedBondLevelEntryNumber |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"quotedBondLevelEntryNumber": "123456789"
```

Description:

Section: 1.15

| | |
|---------------|---|
| Name: | manifestPortOfUnladingOrImport |
| Full Path: | abiStatusQueryResponse.manifestPortOfUnladingOrImport |
| Type: | Object |
| Is Required?: | No |

Sample JSON:

```
"manifestPortOfUnladingOrImport": {  
  "code": "3801",  
  "portOfEntry": "Detroit, MI"  
}
```

Description:

Section: 1.15.1

| | |
|-----------------|--|
| Name: | code |
| Full Path: | abiStatusQueryResponse.manifestPortOfUnladingOrImport.code |
| Type: | String Value |
| Is Required?: | Yes |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"code": "3801"
```

Description:

Section: 1.15.2

| | |
|-----------------|---|
| Name: | portOfEntry |
| Full Path: | abiStatusQueryResponse.manifestPortOfUnladingOrImport.portOfEntry |
| Type: | String Value |
| Is Required?: | Yes |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"portOfEntry": "Detroit, MI"
```

Description:

Section: 1.16

| | |
|---------------|---|
| Name: | actualPortOfUnladingOrImport |
| Full Path: | abiStatusQueryResponse.actualPortOfUnladingOrImport |
| Type: | Object |
| Is Required?: | No |

Sample JSON:

```
"actualPortOfUnladingOrImport": {  
  "code": "3801",  
  "portOfEntry": "Detroit, MI"  
}
```

Description:

Section: 1.16.1

| | |
|-----------------|--|
| Name: | code |
| Full Path: | abiStatusQueryResponse.actualPortOfUnladingOrImport.code |
| Type: | String Value |
| Is Required?: | Yes |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"code": "3801"
```

Description:

Section: 1.16.2

| | |
|-----------------|---|
| Name: | portOfEntry |
| Full Path: | abiStatusQueryResponse.actualPortOfUnladingOrImport.portOfEntry |
| Type: | String Value |
| Is Required?: | Yes |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"portOfEntry": "Detroit, MI"
```

Description:

Section: 1.17

| | |
|---------------|---|
| Name: | actualPortOfUnladingOrImportOceanDiversion |
| Full Path: | abiStatusQueryResponse.actualPortOfUnladingOrImportOceanDiversion |
| Type: | Object |
| Is Required?: | No |

Sample JSON:

```
"actualPortOfUnladingOrImportOceanDiversion": {  
  "code": "3801",  
  "portOfEntry": "Detroit, MI"  
}
```

Description:

Section: 1.17.1

| | |
|-----------------|--|
| Name: | code |
| Full Path: | abiStatusQueryResponse.actualPortOfUnladingOrImportOceanDiversion.code |
| Type: | String Value |
| Is Required?: | Yes |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"code": "3801"
```

Description:

Section: 1.17.2

| | |
|-----------------|---|
| Name: | portOfEntry |
| Full Path: | abiStatusQueryResponse.actualPortOfUnladingOrImportOceanDiversion.portOfEntry |
| Type: | String Value |
| Is Required?: | Yes |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"portOfEntry": "Detroit, MI"
```

Description:

Section: 1.18

| | |
|---------------|--|
| Name: | inBondOriginatingPort |
| Full Path: | abiStatusQueryResponse.inBondOriginatingPort |
| Type: | Object |
| Is Required?: | No |

Sample JSON:

```
"inBondOriginatingPort": {  
  "code": "3801",  
  "portOfEntry": "Detroit, MI"  
}
```

Description:

Section: 1.18.1

| | |
|-----------------|---|
| Name: | code |
| Full Path: | abiStatusQueryResponse.inBondOriginatingPort.code |
| Type: | String Value |
| Is Required?: | Yes |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"code": "3801"
```

Description:

Section: 1.18.2

| | |
|-----------------|--|
| Name: | portOfEntry |
| Full Path: | abiStatusQueryResponse.inBondOriginatingPort.portOfEntry |
| Type: | String Value |
| Is Required?: | Yes |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"portOfEntry": "Detroit, MI"
```

Description:

Section: 1.19

| | |
|---------------|--|
| Name: | manifestDestinationPort |
| Full Path: | abiStatusQueryResponse.manifestDestinationPort |
| Type: | Object |
| Is Required?: | No |

Sample JSON:

```
"manifestDestinationPort": {  
  "code": "3801",  
  "portOfEntry": "Detroit, MI"  
}
```

Description:

Section: 1.19.1

| | |
|-----------------|---|
| Name: | code |
| Full Path: | abiStatusQueryResponse.manifestDestinationPort.code |
| Type: | String Value |
| Is Required?: | Yes |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"code": "3801"
```

Description:

Section: 1.19.2

| | |
|-----------------|--|
| Name: | portOfEntry |
| Full Path: | abiStatusQueryResponse.manifestDestinationPort.portOfEntry |
| Type: | String Value |
| Is Required?: | Yes |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"portOfEntry": "Detroit, MI"
```

Description:

Section: 1.20

| | |
|---------------|--|
| Name: | actualDestinationPortManualDiversio |
| Full Path: | abiStatusQueryResponse.actualDestinationPortManualDiversio |
| Type: | Object |
| Is Required?: | No |

Sample JSON:

```
"actualDestinationPortManualDiversio": {  
  "code": "3801",  
  "portOfEntry": "Detroit, MI"  
}
```

Description:

Section: 1.20.1

| | |
|-----------------|--|
| Name: | code |
| Full Path: | abiStatusQueryResponse.actualDestinationPortManualDiversion.code |
| Type: | String Value |
| Is Required?: | Yes |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"code": "3801"
```

Description:

Section: 1.20.2

| | |
|-----------------|---|
| Name: | portOfEntry |
| Full Path: | abiStatusQueryResponse.actualDestinationPortManualDiversion.portOfEntry |
| Type: | String Value |
| Is Required?: | Yes |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"portOfEntry": "Detroit, MI"
```

Description:

Section: 1.21

| | |
|---------------|--|
| Name: | actualDestinationPortEdiDiversion |
| Full Path: | abiStatusQueryResponse.actualDestinationPortEdiDiversion |
| Type: | Object |
| Is Required?: | No |

Sample JSON:

```
"actualDestinationPortEdiDiversion": {  
  "code": "3801",  
  "portOfEntry": "Detroit, MI"  
}
```

Description:

Section: 1.21.1

| | |
|-----------------|---|
| Name: | code |
| Full Path: | abiStatusQueryResponse.actualDestinationPortEdiDiversion.code |
| Type: | String Value |
| Is Required?: | Yes |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"code": "3801"
```

Description:

Section: 1.21.2

| | |
|-----------------|---|
| Name: | portOfEntry |
| Full Path: | abiStatusQueryResponse.actualDestinationPortEdiDiversio.n.portOfEntry |
| Type: | String Value |
| Is Required?: | Yes |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"portOfEntry": "Detroit, MI"
```

Description:

Section: 1.22

| | |
|---------------|--|
| Name: | vesselDeparturePort |
| Full Path: | abiStatusQueryResponse.vesselDeparturePort |
| Type: | Object |
| Is Required?: | No |

Sample JSON:

```
"vesselDeparturePort": {  
  "code": "3801",  
  "portOfEntry": "Detroit, MI"  
}
```

Description:

Section: 1.22.1

| | |
|-----------------|---|
| Name: | code |
| Full Path: | abiStatusQueryResponse.vesselDeparturePort.code |
| Type: | String Value |
| Is Required?: | Yes |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"code": "3801"
```

Description:

Section: 1.22.2

| | |
|-----------------|--|
| Name: | portOfEntry |
| Full Path: | abiStatusQueryResponse.vesselDeparturePort.portOfEntry |
| Type: | String Value |
| Is Required?: | Yes |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"portOfEntry": "Detroit, MI"
```

Description:

Section: 1.23

| | |
|-----------------|--|
| Name: | vesselDepartureDate |
| Full Path: | abiStatusQueryResponse.vesselDepartureDate |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"vesselDepartureDate": "2023-01-02 13:50:00"
```

Description:

Section: 1.24

| | |
|-----------------|--|
| Name: | containerLoadPort |
| Full Path: | abiStatusQueryResponse.containerLoadPort |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"containerLoadPort": "3801"
```

Description:

Section: 1.25

| | |
|-----------------|--|
| Name: | containerLoadDate |
| Full Path: | abiStatusQueryResponse.containerLoadDate |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"containerLoadDate": "2023-01-02 13:50:00"
```

Description:

Section: 1.26

| | |
|-----------------|---|
| Name: | motTruckTripNumber |
| Full Path: | abiStatusQueryResponse.motTruckTripNumber |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"motTruckTripNumber": "55555"
```

Description:

Section: 1.27

| | |
|-----------------|----------------------------------|
| Name: | firmsCode |
| Full Path: | abiStatusQueryResponse.firmsCode |
| Type: | String Value |
| Is Required?: | No |
| Minimum Length: | |
| Maximum Length: | |

Sample JSON:

```
"firmsCode": "5555"
```

Description: